Product profile

CK70

Ultra-rugged Mobile Computer

- 12% smaller and lighter than leading devices in the ultra-rugged class
- Superior computing performance and application response time
- Flexible radio technology provides optimal network coverage and a superior solution for implementing least cost routing strategies
- Industry's fastest imaging engine delivering superior motion tolerance, laser aiming system, and optimized scanning angle for maximum productivity
- On-board diagnostics and INcontrol Managed Services provide device health visibility
- Best in class battery life for longer run time
- Part of Intermec's comprehensive enterprise business solution including printers, application software, communications, peripherals and accessories
- Non-incendive option for hazardous locations
- Pre-loaded with Intermed HTML5 Browser





Today's courier express, parcel and postal operations are in a race against time. Dimly lit trucks and warehouses, damaged barcodes, incorrect addresses, spotty wireless coverage, and weather extremes pose neverending challenges to the goals of improving customer service and SLA compliance.

When it comes to selecting the optimal rugged mobile business solution to help you meet these goals, you often face another challenge: satisfying the needs and preferences of IT, Operations and the device user without making a trade-offs.

Intermec is the first to offer a no-compromise solution with the CK70 ultra-rugged mobile computer. The CK70 meets your challenges head on with next generation features that focus on increasing efficiency and delivering unparalleled reliability for track & trace and proof of delivery applications, even in the most extreme conditions. Extend the use of the CK70 into hazardous locations with the non-incendive certified (Div. 2) CK70.

The design of the CK70 is specifically optimized for the courier express, parcel (CEP) and postal environments. In addition to being 12% smaller and lighter than other form factors in its ultra-rugged class, the CK70 supports workers in this fast moving, mobile environment with an application specific keyboard layout that is both slender and back-lit to allow for effortless, all day single-handed use.

Intermec has developed the industry's fastest imaging engine, capable of scanning barcodes moving at up to 12.7m (500 in) per second, enabling the CK70 to provide remarkable motion tolerance and high read rates even in a highly dynamic work environment. The CK70 aiming system, featuring bright white LED illumination and a red laser aimer optimized for all lighting conditions, projects downward at a 35° angle allowing easier scanning of barcodes on parcels and enabling your mobile workers to view the mobile computer screen while scanning.

Reliability You Can Count On

Scratched, damaged displays and missing or unreadable keys not only slow your workers down, they reflect poorly on your company's image. The CK70 includes a brilliant VGA display with a wear-resistant Gorilla™ Glass touch panel providing twice the service life of older touch panel technologies. Industrial grade polycarbonate keys with indestructible laser-etched legends ensure that the CK70 stays in your workers' hands instead of the repair depot.

The 70 Series no-compromise approach includes an industrial grade superscalar multi-engine processors that offer faster performance with lower power consumption.



By combining the latest generation processor along with state-of-the-art battery health diagnostics, the CK70 can be relied upon to deliver the power and performance you require as well as reduce the expenses associated with replacement batteries.

The CK70 continues its no-compromise design to radio connectivity. Wide-area solutions include a Flexible Network™ data only radio that operates on any type of network; offering switch-on-the-fly network selection capability and eliminating the need for multiple pools of devices dedicated to one network. The CK70 also offers UMTS/HSUPA and CDMA/EV-DO Rev A voice, as well as data, WWAN radio options.

The Power to Work Smarter

We have surrounded the CK70 with a complete set of intelligent business solution software, tools, services and training modules, to create the smoothest and smartest possible integration into your workflows.

Every 70 Series mobile computer comes pre-loaded with Intermec's ScanNGo client to provide a premium device provisioning experience to simplify and expedite device staging operations. The standalone ScanNGo client enables CK70 users to provision, configure and automatically download application software even over WWAN in a matter of seconds rather than minutes by simply reading pre-configured barcodes.

When the CK70 is coupled with Intermec's Shipment Address Verification software, Transportation and Logistics companies can easily scan, verify and correct shipment destination information at the point of pickup without user workflow delay. This ability allows downstream processes and planning to happen earlier enabling for more efficient handling by eliminating cut time pressure on decisions.

Intermec's application development resource kits enable you to utilize data from the barcode imager, camera, keyboard, touch panel, GPS receiver, sensors, and other input sources in innovative ways to develop new services for your customers. If you've developed applications using Intermec resource kits for previous Intermec products, you'll be able to easily migrate them to the CK70. The CK70 is also pre-loaded with the Intermec HTML5 Browser, providing users with easy access to the growing world of cross-platform HTML5-based applications.

Prevent a Problem Before It Exists

The pace and competitiveness of business today doesn't allow for missed deadlines. Success depends on your ability to identify and prevent problems before they impact your mobile workers' productivity, and ultimately your customers' satisfaction.

The CK70 mobile computer's unique device health reporting capability provides insight never before available to allow mobile workers and IT administrators to monitor and prevent issues before they impact operations. Key sub-systems including scanning, communications and battery life can be monitored by either the mobile worker via an on-board dashboard or remotely through the Intermec SmartSystems™ console resulting in optimization and better utilization of your mobile computing assets.

Based on a Shared Platform

The CK70 is just one model out of four ergonomic designs that are available in the 70 Series family. Each model includes choices of radios, keypads, imagers, software and services providing you the option of tailoring a *specific* solution to meet the various application areas within your environment and the preferences and needs of your employees.

With a single platform approach, the 70 Series family is unique in its ability to reduce infrastructure complexity and cost. The single computer architecture, software build, set of peripherals and charging system that is shared between the 70 Series products brings simplicity to the frequent tasks of software updates, training new employees, managing spares pools and charging devices.

Break the Cycle of Infrastructure Replacement

All of the 70 Series products are supported by a new docking system designed to maximize the return on your investment in charging and communications infrastructure and greatly reduce the space you must devote to it. Called FlexDock, the system uses a common 2- or 4-position base, combined with cups for mobile computers and battery packs in any combination, to adapt the base your specific needs.

In addition to wall mounting, FlexDock offers expanded mounting options to facilitate the use of standard IT equipment racks for better backroom space utilization and smaller footprint requirements.

When it's time to upgrade equipment, cost and complexity are reduced because existing cups can be easily replaced with new cups corresponding to the next generation solution, allowing the original bases and supporting components to be reused.

Expect Reliability

When the reliability, efficiency and accuracy of your operations are the foundation to your competitive advantage, there is no room for compromise. The Intermec CK70, and the 70 Series family of mobile computers, provides unparalleled performance and reliability enabling you to run your operations with confidence.

Physical Characteristics Dimensions with battery:

L x W x D: 23.7 x 8.0 x 4.3 cm (9.33 x 3.16 x 1.69 in) **Weight:** 562 g (19 oz) with battery **Width:** grip area 6.42 cm (2.53 in)

Environmental

Operating Temperature: -20° C to +60° C (-4° F to +140° F)* Storage Temperature: -30° C to +70° C (-22° F to +158° F) Charging Temperature: +5° C to +35° C (41° F to 95° F) Relative Humidity: Non-condensing, 95% Rain & Dust Resistance: IP67

Rain & Dust Resistance: 1P67
Drop Specification: 2.4 m (8ft.) to concrete per
MIL-STD 810G, 1.8m (6 ft) to concrete across operating
temperature range per MIL-STD 810G
2,000 (1m) tumbles per IEC 60068-2-32 specification

Electrostatic Discharge: +/- 15 kV air discharge; +/- 8 kV direct discharge

Power

Battery Pack: 3.7 V, 5200 mAh; IEEE 1725 compliant, Li-lon, removable, rechargeable

Operating System

Microsoft Windows Embedded Handheld 6.5

Multi-Engine Processor Architecture

Texas Instruments 1GHz OMAP multi-engine processor architecture

Memory and Storage

Memory: 512 MB RAM ROM: 1 GB Flash

Customer-accessible micro-SD slot for removable memory cards up to 32 GB

Display

- 8.9 cm (3.5 in) Transmissive VGA
- 480 x 640 pixels
- · 65,536 (16 bit RGB) Colors
- High-Durability Touch Screen
- LED Backlight
- · Ambient Light Sensor

Standard Communications

USB – Full Speed 2.0 OTG $^{\circ}$, USB – Full Speed 2.0 Client $^{\circ}$ IrDA

Software Apps & Components

Device Management: Intermec SmartSystems™ support includes ScanNGo provisioning for use alone or with device management software from Intermec ISVs Device Health Monitoring: Remote access requires SmartSystem Management option

Application Development:

Intermec Developer Library www.intermec.com/dev Imaging Solutions: Intermec Shipment Address Verification (SAV) and Mobile Document Imaging (MDI) are compatible, licensed and sold separately In-Premise Clients: Optional factory pre-loaded Intermec Client Pack (TE & Browser); Intermec Browser Web Browsing: Intermec HTML5 Browser Device Lockdown: Intermec Launcher

Data Management

Skynax® Mobile Communications

Integrated Radios

Wireless WAN Options Data & Voice Options **UMTS / HSUPA**

UMTS Frequencies: 800, 850, 900, 1900, 2100 MHz GSM/GPRS Frequencies: 850, 900, 1800, 1900 MHz Max Speeds (Network Dependent):

Uplink - 5.76 Mbps Downlink - 7.2 Mbps

CDMA/EVDO Rev. A

CDMA Frequencies: 800, 1900 MHz Max Speeds (Network Dependent): Uplink - 1.8 Mbps Downlink - 3.1 Mbps

Data Only Option

Flexible Network"

UMTS/HSPA+ Frequencies:

800, 850, 900, 1700, 1900, 2100 MHz GSM/GPRS/EDGE Frequencies:

850, 900, 1800, 1900 MHz Max Speeds (Network Dependent):

Uplink - 5.76 Mbps Downlink 14.4 Mbps

CDMA/EV-DO Frequencies: 800, 1900 MHz Max Speeds (Network Dependent):

Uplink - 1.8 Mbps Downlink 3.1 Mbps

Wireless LAN: IEEE®802.11 a/b/g/n Dual Band WLAN Security: WiFi Certified for WPA and WPA2, WAPI Certified

Cisco Compatibility: CCXv4 Authentication: 802.1x

Encryption: WEP (64 or 128 bit), AES, TKIP

Wireless PAN: Integrated Bluetooth® Class II,

Version 2.1+EDR

North America

Corporate Headquarters

600136th Avenue West

Phone: (425) 348-2600

Fax: (425) 355-9551

North Latin America

Headquarters Office

Fax: +52 55 52-11-81-21

Mexico

Everett, Washington 98203

Phone: +52 55 52-41-48-00

Operating channels: 0 to 78 (2402-2480 MHz)

South Latin America

Headquarters Office

Phone: +55 11 5502.6770

Fax: +55 11 5502.6780

Europe/Middle East &

Africa Headquarters Office

Reading, United Kingdom

Phone: +44 118 923 0800

Fax: +44 118 923 0801

Brazil

Data Rates: 1, 2, 3 Mbps

Global Positioning System

12 channel Integrated GPS; Network independent autonomous mode; supports assisted operation via WAN

Sensor Technology

Accelerometer: Embedded accelerometer enables automatic or application-specific features such as screen rotation or system suspend

Audio Support

Supports VoIP / Speech recognition / Push to talk applications; front and rear speakers; rear speaker >80 dB at 40 cm (15.7 in); Front receiver and front panel microphone for handset audio communication and audio recording; Wireless Bluetooth headset support; Wired headset support via snap on adapter

Integrated Scanner

EA30 high performance motion-tolerant 2D Imager; white LED illumination; red laser aimer optimized for all lighting conditions; 35 degree downward scan angle; Capable of scanning all common 1D and 2D barcodes; 1D as small as 5 mil; PDF as small as 6.6 mil; Data Matrix as small as 7.5 mil; and standard UPC codes from distances up to 33 cm (13 in)

Integrated RFID Reader Option

The CK70 is available with integrated UHF RFID reading capabilities. For more information, see the 70 Series RFID product page.

Integrated Camera Option

5 Megapixel auto focus color camera with LED flash

Keypad Options

Both keypad options feature hard keycaps with laser-etched legends

Large Alpha with backlit Numeric legends

Alphanumeric

Asia Pacific

Singapore

Internet

Headquarters Office

Phone: +65 6303 2100

Fax: +65 6303 2199

www.intermec.com

Worldwide Locations:

www.intermec.com/locations

Toll Free NA: (800) 934-3163 Toll in NA: (425) 348-2726 Freephone ROW: 00 800 4488 8844 Toll ROW: +44 134 435 0296

OEM Sales

Phone: (425) 348-2762

Media Sales

Phone: (513) 874-5882

Customer Service and Support

Toll Free NA: (800) 755-5505 Toll in NA: (425) 356-1799

Intermec Global Services Support:

www.intermec.com --> Support --> Knowledge Central Telephone support available in the USA & Canada (+1-800-755-5505). Outside of this area, contact your local representative.

Maintain software and device configuration with INcontrol Managed Services, Current listing of all Intermec service products can be found at: www.intermec.com/services

Accessories

FlexDock modular docking system, vehicle dock and holder, snap on adaptors, and magnetic stripe reader

Regulatory Approvals and Compliance

1001CP01U, 1001CP01C

Safety: cULus Listed, DEMKO, BSMI EMC: Class B - FCC/ICES/EN, GOST-R Radio: FCC w/HAC, Industry Canada, C€ 0981 Φ, A-tick (AU), C-tick (NZ), NCC, OFTA, IDA, ICASA, POSTEL, NTC, ETA, SIRIM, ANATEL, 61 countries in total

Environmental: EU Directives-WEEE; RoHS; Batteries & Accumulators; Packaging & Waste Packaging

Non-Incendive Version

70 Series family with NI certification comply with the following: Suitable for use in Division 2 locations Safety: cULus Listing - ISA/ANSI 12.12.01

Gases: Class I - Groups A, B, C, D Dusts: Class II - Groups F, G Fibers and flyings: Class III *Max Ambient: 50°C T6

















Copyright © 2013 Intermec Technologies Corporation. All rights reserved. Intermec is a registered trademark of Intermec Technologies Corporation. All other trademarks are the property of their respective owners

In a continuing effort to improve our products, Intermec Technologies Corporation reserves the right to change specifications and features without prior notice.

